Rechmond

Flutch

NRL Memorandum Report 4914

Adaptation of Flux-Corrected Transport Algorithms for Modelling Blast Waves

D. L. BOOK, J. P. BORIS, M. A. FRY*, R. H. GUIRGUIS**, AND A. L. KUHL†

Laboratory for Computational Physics

*Science Applications Inc. McLean, VA

> **JAYCOR Alexandria, VA

†R&D Associates Marina del Rey, CA

October 12, 1982

This work was supported by the Defense Nuclear Agency under Subtask Y99QAXSG, work unit 00027, and work unit title "Flux Corrected Transport Code."



NAVAL RESEARCH LABORATORY Washington, D.C.

20000915 050

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
NRL Memorandum Report 4914		
ADAPTATION OF FLUX-CORRECTED TRANSPORT ALGORITHMS FOR MODELLING BLAST WAVES		5. TYPE OF REPORT & PERIOD COVERED
		Interim report on a continuing
		NRL problem.
		6. PERFORMING ORG. REPORT NUMBER
. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(a)
D.L. Book, J.P. Boris, M.A. Fry*, and A.L. Kuhl†	R.H. Guirguis**,	
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Naval Research Laboratory		1 .
Washington, DC 20375		62715H; 44-0578-0-2
Defense Nuclear Agency Washington, DC 20305		12. REPORT DATE
		October 12, 1982
		13. NUMBER OF PAGES 33
14. MONITORING AGENCY NAME & AODRESS(II dillerent from Controlling Office)		1S. SECURITY CLASS. (of thie report)
		UNCLASSIFIED
		15. OECLASSIFICATION/OOWNGRADING SCHEDULE
6. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distrib		

17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

This work was supported by the Defense Nuclear Agency under Subtask Y99QAXSG, work unit 00027, and work unit title "Flux Corrected Transport Code."

(Continues)

19. KEY WOROS (Continue on reverse elde if necessary and identify by block number)

Blast waves Explosions Mach reflection Adaptive gridding

20. ABSTRACT (Continue on reveree elde if necessary and identify by block number)

Flux-corrected transport represents an accurate and flexible class of methods for solving nonsteady compressible flow problems. In models which treat all the physical effects required for blast wave simulation, truncation errors inherent in the underlying finite-difference scheme are exacerbated by nonlinear coupling between the fluid equations and by the greater complexity of the phenomena being simulated. In order to improve the properties of the basic difference scheme, we propose a new algorithm for integrating generalized continuity equations over a timestep δt .

ADAPTATION OF FLUX-CORRECTED TRANSPORT ALGORITHMS FOR MODELLING BLAST WAVES

Blast wave phenomena include reactive and two-phase flows associated with the motion of chemical explosion products; the propagation of shocks, rarefaction waves, and contact discontinuities through a nonideal medium (real air, possibly thermally stratified and containing dust and water vapor); and the interaction of the blast waves (including boundary layer effects) with structural surfaces. Flux-Corrected Transport (FCT) represents an accurate and flexible class of methods for solving such nonsteady compressible flow problems (Boris and Book, 1976). Coupled with a nondiffusive adaptive gridding scheme (Book, et al., 1980; Fry, et al., 1981), it enables complex time-dependent shocks to be efficiently "captured."

In models which treat all the physical effects required for blast wave simulation, truncation errors inherent in the underlying finite-difference scheme are exacerbated by nonlinear coupling between the fluid equations and by the greater complexity of the phenomena being simulated. Typical of these errors are the "terraces" which develop under some circumstances on the flanks of sloping profiles when the growth of ripples due to phase errors at short length scales is terminated by the action of the flux limiter. approaches are possible toward eliminating them: improving the shortwavelength phase and amplitude properties of the underlying algorithm, and switching on additional diffusion locally. The latter approach folds information about the shape of the profile and the nature of the physical process taking place (e.g., rarefaction) into the switch criterion, thus changing the FCT technique from a "convective equation solver" to a "fluid system solver." In doing this, care must be taken to avoid losing the accuracy, robustness and problem-independence which constitute valuable attributes of FCT algorithms (Book, et al., 1981).

Tests carried out on scalar advection of simple density profiles by a uniform flow field show that terracing does not require either diverging velocities or discontinuities in the profile, but appears typically (for v > 0) where the first and second derivatives of density have the same sign (Fig.1). In order to improve the properties of the basic difference scheme, we propose a new algorithm for integrating generalized continuity equations over a timestep δt . Consider the following three-point transport scheme: $\hat{\rho}_j = \rho_j^0 - \eta(\rho_{j+1}^0 - \rho_{j-1}^0) + \kappa(\rho_{j+1}^0 - 2\rho_j^0 + \rho_{j-1}^0);$

$$\hat{\rho}_{j} = \rho_{j}^{\circ} - n(\rho_{j+1}^{\circ} - \rho_{j-1}^{\circ}) + \kappa(\rho_{j+1}^{\circ} - 2\rho_{j}^{\circ} + \rho_{j-1}^{\circ});$$

$$\bar{\rho}_{j} = \hat{\rho}_{j} - \theta(\rho_{j+1}^{\circ} - \rho_{j-1}^{\circ}) + \lambda(\rho_{j+1}^{\circ} - 2\rho_{j}^{\circ} + \rho_{j-1}^{\circ});$$

$$\rho_{j}^{n} = \bar{\rho}_{j} - \mu(\phi_{j+1/2} - \phi_{j-1/2});$$

$$\phi_{j+1/2} = \hat{\rho}_{j+1} - \hat{\rho}_{j}.$$

where

The arrays $\{\rho_j^O\}$ and $\{\rho_j^n\}$ are the old and new densities, $\widetilde{\rho}_j$ and $\overline{\rho}_j$ are temporary intermediate densities, and η , θ , κ , λ , and μ are velocity-dependent coefficients. Here κ and λ are diffusion coefficients, and μ is the antidiffusion coefficient. In the actual algorithm, $\phi_{j+1/2}^C$ is corrected (hence the name FCT) to a value $\phi_{j+1/2}^C$ chosen so no extrema in $\overline{\rho}_j$ can be enhanced or new ones introduced in ρ_j . Previous FCT algorithms had $\theta=0$; the widely used ETBFCT and related algorithms (Boris, 1976) have in addition $\kappa=0$. If we define ρ_j to be sinusoidal with wave number k on a mesh with uniform spacing δx , so that $\rho_j^O=\exp{(ij\beta)}$ where $\beta=k\delta x$, then the new density array satisfies

density array satisfies $\rho_{j}^{n}/\rho_{j}^{o} \equiv A = 1-2i(\eta+\theta)\sin\beta + 2(\kappa+\lambda)(\cos\beta-1) \\ - 2\mu(\cos\beta-1)\left[1-2i\eta\sin\beta+2\kappa(\cos\beta-1)\right].$

From A we can determine the amplification $\alpha = A$ and relative phase error $R = (1/\epsilon\beta)\tan^{-1}(-ImA/ReA)-1$, where $\epsilon = v\delta t/\delta x$ is the Courant number.

Expanding in powers of β we find $\alpha = 1 + \alpha_2 \beta^2 + \alpha_4 \beta^4 + \alpha_6 \beta^6 + \cdots ;$

 $R = R_0 + R_2 \beta^2 + R_4 \beta^4 + R_6 \beta^6 + \dots$

First-order accuracy entails making R_0 vanish, which requires that $\eta+\theta=\varepsilon/2$. Second-order accuracy $(\alpha_2=0)$ implies that $\mu=\kappa+\lambda-\varepsilon^2/2$. Analogously, the "reduced-phase-error" property $R_2=0$ (Boris and Book, 1976) determines $\mu=(1-\varepsilon^2)/6$, thus leaving two free parameters. One of these can be used to make R_1 vanish also. The resulting phase error $R(\beta)$ is small not only as $\beta \neq 0$, but also for larger values of β , corresponding to the short wavelengths responsible for terraces (Fig. 2). The remaining parameter η can be chosen to relax the Courant number restriction needed to ensure positivity from $\varepsilon < 1/2$ to $\varepsilon < 1$. When coded, these changes necessitate a small increase in the operation count of ETBFCT along with a small increase in overhead to precalculate the two new arrays of velocity-dependent transport coefficients. On advection tests, the new algorithm completely eliminated terraces (Fig. 3). When applied to the coupled systems of gas dynamic equations, it produced profiles which closely approximate the Riemann solution of the exploding diaphragm problem (Fig. 4).

The second approach uses a rarefaction flux limiter (RFL) to eliminate numerical ripples in strong rarefaction waves. This approach is physically motivated. Raw anti-diffusive fluxes $\phi_{j+1/2}$ are limited so that the slope of local flow field profiles decays with time in a rarefaction wave. In effect, additional diffusion is left in the field to maintain monotonicity of local slopes. For multi-material calculations a "contact surface sensor" is needed to detect physical discontinuities and shut off the RFL locally.

In addition we found that some care was required when applying generalized continuity equation solvers to a system of equations. Truncation errors of the various equations can interact, causing undershoots or overshoots in nonconvective quantities such as pressure. We found that it was necessary to monotonize derived quantities (pressure, velocity) before using them in minimal-diffusion transport algorithms.

The above methodology has been applied to a series of test problems initiated by a spherical high-explosive (HE) detonation in air. An ideal Chapman-Jouguet detonation was used to specify the initial conditions; afterburning was neglected. In the absence of reflecting surfaces, spherical symmetry is maintained and the calculation remains one-dimensional. A nonuniform radial grid was used with extremely fine zoning near the shock front. The grid was moved so that the shock remained approximately fixed with respect to the mesh. The original version of the FCT algorithm gave rise to pronounced terraces in the rarefaction region. This would have rendered any two-dimensional calculation involving shock diffraction or nonideal effects dubious. The techniques described here improved the blast wave results considerably. The decrease in phase error reduced terracing dramatically.

Next, a two-dimensional (2D) numerical calculation was performed to simulate one of Carpenter's (1974) height-of-burst experiments which used spherical 8-lb. charges of PBX 9404 at 51.6 cm. The previous fine-zoned lD calculation was used to initialize the problem. It was mapped onto the 2D grid just prior to the onset of reflection. The solution was then advanced in time, with pressure being calculated from a real-air equation of state and a JWL equation of state for the combustion products. The front of the blast wave was captured in a finely gridded region which moved outward horizon-tally. Special care was taken to ensure that the grid moved smoothly. The resulting solution, particularly the curve of peak overpressure vs. range, was consistent with Carpenter's experimental data (Fig. 8). Although this calculation represents a reasonable accurate simulation of the double-Machstem region, no doubt improvements can and will be made to numerically model such phenomena.

References

Book, D., Boris, J., Kuhl, A., Oran, E., Picone, M., and Zalesak, S., Seventh International Conf. on Num. Methods in Fluid Dynamics, Stanford (1980). W. C. Reynolds and R. W. MacCormack, eds. p. 84.


Book, D., Boris, J., and Zalesak, S., in <u>Finite-Difference Techniques for Vectorized Fluid Dynamics Calculations</u>, D. Book, Ed. (Springer-Verlag, New York, 1981).

Boris, J., "Flux-Corrected Transport Modules for Solving Generalized Continuity Equations," NRL Memorandum Report 3237 (1976).

Boris, J.P., and Book, D.L., in <u>Methods in Computational Physics</u>, J. Killeen, Ed., (Academic Press, New York, 1976) Vol. 16, p. 85.

Carpenter, H.J., Proc. Fourth International Symp. on Military Applications of Blast Simulation (1974).

Fry, M., Tittsworth, J., Kuhl, A., Book, D., Boris, J., and Picone, M., "Shock Capturing Using Flux-Corrected Transport Algorithms with Adaptive Gridding," NRL Memorandum Report 4629 (1981).






Fig. 1—Rounded half circle used in passive scalar advection tests (a) initially, and (b) after propagation for 14 cycles using JPBFCT. Note that terraces form even, as here, in the absence of corners in the profile. Tick marks indicate computational zones (N = 100).





Fig. 2 — Contour plot of $R(\beta,\epsilon)$ for new multicoefficient FCT algorithm. Note $R\approx 0$ except for $\beta\geqslant 3$ $\pi/2$. The relative phase error vanishes exactly for $\epsilon=1/2$ and $\epsilon=1$.

JPBFCT ROUNDED HALF-CIRCLE



LCPFCT ROUNDED HALF-CIRCLE





Fig. 3 — (a) Blowup of Fig. 1(a) (dashed line) compared with (b) same profile as computed using new sixth order-phase-accurate FCT algorithm. Solid traces are exact solutions.








Fig. 4-(a) Exact and (b) computed solution of exploding diaphragm problem (10-to-1 initial density jump, 100-to-1 initial pressure jump)




Fig. 5 — One-dimensional solution of expanding HE products and air calculated with the new algorithm using 500 equally spaced zones. Note contact surface separating HE products from air.




Fig. 6 — Adaptive grid for height-of-burst problem shown (a) initially and (b) at time when transition to Mach reflection occurs




Fig. 7—Pressure-time histories directly beneath burst site. Note second peak, associated with interaction between shock reflected from ground and following contact surface.

HE - AIR JPBFCT 5T= 3.60 * 10




Fig. 8 — Computed peak overpressure vs distance along ground surface. Broken curve represents Carpenter's (1974) data.

DISTRIBUTION LIST

ASSISTANT TO THE SECPETARY OF DEFENSE (ATOMIC EMERGY)
WASHINGTON, DC 20301
OLCY ATTN EXECUTIVE ASSISTANT

DIRECTOR
DEFENSE COMMUNICATIONS AGENCY
WASHINGTON, DC 20305
(ADR CNWDI: ATTN CCDE 240 FCR)
OLCY ATTN CODE 570 R LIPP

DIRECTOR

DEFENSE INTELLIGENCE AGENCY
WASHINGTON, DC 20301

OICY ATTN PDS-3A (TECH LIB)
OICY ATTN DR-4N
OICY ATTN DT-1C
OICY ATTN DT-2
OICY ATTN DB-4C E OFARRELL

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, DC 20305
02CY ATTN SPSS
01CY ATTN SPSS G ULLRICH
01CY ATTN SPSS T DEEVY
04CY ATTN TITL

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VA 22314
(12 IF OPEN PUB, OTHERWISE 2 - NO WNINTEL)
2CY ATTN DO

CHAIRMAN
DEPARTMENT OF DEFENSE EXPLO SAFETY BOARD
HOFFMAN BLOG I, PM 856-C
2461 EISENHOWER AVEAUF
ALEXANDRIA, VA 22331
OICY ATTN CHAIRMAN

COMMANDER
FIFLD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AFB, NM 87115
O1CY ATTN FCTMOF
O1CY ATTN FCT
O1CY ATTN FCPR
O1CY ATTN FCTT

CHIEF
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
LIVERMORE BRANCH
P O ROX 808 L-317
LIVERMORE, CA 94550
OICY ATTN FCPRL

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
DEFUTT AFB
DMAHA. NB 68113
OLCY ATTN JLA
OLCY ATTN DOXT
OLCY ATTN XPES
OLCY ATTN MRI-STINFO LIBRARY
OLCY ATTN JLTW-2

COMMANDANT
NATO SCHOOL (SHAPE)
APC NEW YORK 69172
OICY ATTN H S DOCUMENTS OFFICER

UNDER SECY OF DEF FOR ESCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON: DC 20301
OLCY ATTN STRATEGIC & SPACE SYS (CS) RM 36129

DIRECTOR

BMD ADVANCED TECHNOLOGY GENTER

DEPARTMENT OF THE ARMY

P O POY 1500

HUNTSVILLE, AL 358C7

OICY ATTN ATC-T

OICY ATTN ATC-T

COMMANDER

BMD SYSTEMS COMMAND

DEPARTMENT OF THE ARMY
P O BCX 1500

HUNTSVILLE, AL 35PC7

OICY ATTN BMDSC-FW

OICY ATTN BMDSC-HW R DEKALB

OICY ATTN BMDSC-H N HURST

OICY ATTN BMDSC-R C WEBB

CHIEF OF ENGINEERS
DEPARTMENT OF THE ARMY
FORRESTAL BUILDING
WASHINGTON, DC 20314
OICY ATTN DAEN-MCE-D
OICY ATTN DAEN-RDL
OICY ATTN DAEN-MPE-T D REYNOLDS

DEP CH OF STAFF FOR CPS & PLANS
DEPARTMENT OF THE ARMY
WASHINGTON, DC 20310
OLCY ATTN DAMC-NC

COMMANDER
HARRY DIAMOND LABORATORIES
DEPARTMENT OF THE ARMY
2300 POWDER MILL ROAD
ADELPHI, MD 20783
(CNWDI-INNER ENVELOPE: ATTN: DELHO-RBH FOR)
DICY ATTN DELHO-I-TL (TECH LIB)
DICY ATTN CHIEF DIV 20000

COMMANDER
U.S. ARMY ARMAMENT MATERIAL READINESS COMMAND
ROCK ISLAND, IL 61202
DICY ATTN MA LIBRARY

DIRECTOR
U.S. ARMY PALLISTIC RESEARCH LABS
ABERDEEN PROVING GROUND, MD 21005
OICY ATTN DRDAR-BLV
OICY ATTN DRDAR-BLT J KEEFFR
OICY ATTN DRDAP-TSE-S (TECH LIB)

COMMANDER AND DIRECTOR
U.S. ARMY COLD REGION PES ENGP LAB
P.O. BOX 282
HANOVER, NH 03755
OICY ATTN LIBRARY

DIRECTOR
U.S. ARMY CONSTRUCTION ENGRG RES LAB
P.O. BOX 4005
CHAMPAIGN, IL 61820
OICY ATTN LIBPARY

COMMANDER
U S ARMY ENGINEER CENTER
FORT BELVOIR, VA 22060
OICY ATTN TECHNICAL LIBRARY
OICY ATTN ATZA

DIVISION ENGINEER U S ARMY ENGINEER DIV HUNTSVILLE P O BOX 1600, WEST STATION HUNTSVILLE, AL 35807 OICY ATTN HNDED SR OICY ATTN HNDED FD

DIRECTOR

U.S. ARMY ENGR. HATERWAYS EXPER STATION
PORDY 631
VICKSBURG, MS 39180
OICY ATTN J. ZELASKO
OICY ATTN WESSD J. JACKSON
OICY ATTN J. STRANGE
OICY ATTN WESSE L. INGRAM
OICY ATTN LIBRARY
OICY ATTN WESSA W. FLATHAU

COMMANDER
U S ARMY FORFIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN DRXST-SD

DICY ATTN DRIXMR J MESCALL

COMMANDER
U.S. APMY MATERIAL & MECHANICS RSCH CTR
WATERTOWN, MA 0217?

(ADDRESS CNWDI: ATTN: DOCUMENT CONTROL FOR:)

01CY ATTN TECHNICAL LIBRARY
01CY ATTN DRXMR-TE R SHEA

COMMANDER
U.S. ARMY MATERIEL DEV & FEADINESS CMD
5001 ETSENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCDE-D L FLYNN
01CY ATTN DRYAM-TL (TECH LIB) UNCL ONLY

CCMMANDER
U.S. ARMY MISSILE CCMMAND
REDSTONE ARSENAL. AL 35898
OICY ATTN PSIC
OICY ATTN DRDMI-XS

COMMANDER
U S ARMY MOBILITY EQUIP R&D CMD
FORT BELVOIR, VA 22060
(CNWDI TO APMY MAT DEV & READINESSS COMMAND)
01CY ATTN DROME-WC (FECH LIB)

COMMANDER
U.S. ARMY MUCLEAR & CHEMICAL AGENCY
7500 BACKLICK RCAD
BUILDING 2073
SPRINGFIELD. VA. 22150
(DESIRES ONLY 1 CY TO LIBRARY)
01CY ATTN J. SIMMS

COMMANDANT
U.S. ARMY WAR COLLEGE
CAPLISLE BARRACKS, PA 17013
OICY ATTN LIBRARY

OICY ATTN LIBPARY

COMMANDER
DAVID TAYLOR NAVAL SHIP R & D CTR
DETHESDA, MD 20084

(CNUDT CNLY ATTN MRS. M. BIRKHEAD CEDE 5815.6)
01CY ATTN CODE L42-3 (LIBRARY)

OFFICER-IN-CHARGE
NAVAL CIVIL ENGINEERING LABORATORY
PORT HUFNEME, CA 93041
OICY ATTN CODE LS3 J_FCRREST
OICY ATTN CODE LC8A (LIBRARY)
OICY ATTN CODE L51 J CRAWFORD
OICY ATTN L51 R MLRTHA

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, DC 2036C
OICY ATTN PME 117-21

COMMANDER
NAVAL FACILITIES ENGINEERING COMMAND
WASHINGTON, DC 20390
OICY ATTN CODE 048

HEADQUARTERS
NAVAL MATERIAL COMMAND
WASHINGTON, DC 20360
OLCY ATTN MAT 087-22

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 9215?
OLCY ATTN CODE 013 E COOPER
OLCY ATTN CODE 4471 (TECH LIB)

SUPERINTENDENT
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93940
(DESIRES NO ONADI DOCUMENTS)
OLCY ATTH CODE 1424 LIBRARY
OLCY ATTH G LINDSAY

COMMANDING OFFICEP
NAVAL RESEARCH LABORATORY
WASHINGTON, DC 20375

(RD & PD/M ATTN CODE 1221 FOR & FPD ATTN CODE 2628 FOR)
OLCY ATTN CODE 4040 J BORTS
20CY ATTN CODE 2627 (TECH LIB)
100CY ATTN CODE 4040 C 3CCK

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, DC 20362
O1CY ATTN SEA-09GEZ (LIR)
O1CY ATTN SFA-0351

DEFICER IN CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE DAK LARDRATORY
SILVER SPRING, MD 20910
OLCY ATTN P44 H GLAZ
OLCY ATTN CODE F31
OLCY ATTN CODE Y211 (TECH LIB)

COMMANDER
NAVAL SUPFACE WEAPONS CENTER
DAHLGREN+ VA 22449
OICY ATTN TECH LIBRARY & INFO SVCS BR

PRESIDENT
NAVAL WAR COLLEGE
NEWPORT, PI 02840
01CY ATTN CODE E-11 (TECH SERVICE)

COMMANDER
MAVAL WEAPONS CENTER
CHINA LAKE, CA 93555
OICY ATTN CODE 3201 P CORDLE
OICY ATTN CODE 266 C AUSTIN
OICY ATTN CODE 233 (TECH LIB)

COMMANDING OFFICER
NAVAL MEAPONS EVALUATION FACILITY
KIRTLAND AIR FORCE BASE
ALBUQUERQUE, NM 87117
OICY ATTN R HUGHES
OICY ATTN CODE 10 (TECH LIB)

OFFICE OF NAVAL FESEARCH APLINGTON, VA 22217 OLCY ATTN CODE 474 N PERRONE

PORRICE OF THE CHIEF OF NAVAL OPERATIONS WASHINGTON, DC 20350 OLCY ATTN OP 581 OLCY ATTN OP 03EG

DIRECTOR
STRATEGIC SYSTEMS PPCJECT DEFICE
DEPARTMENT DE THE NAVY ::
WASHINGTON, DC 20376
OICY ATTN NSP-272
OICY ATTN NSP-43 (TECH LIP)

MAIR FORCE GEORMYSICS LABORATORY
HANSOOM AFB, MA 01731
OICY ATTN LWW K THOMPSON

AIR FORCE INSTITUTE OF TECHNOLOGY
AIR UNIVERSITY
WRIGHT-PATTERSON AFR, DE 45433
(DOES NOT DESIPE CLASSIFIED DOCUMENTS)
OLCY ATTN LIBRARY

HEADQUAPTERS
ATP FORCE SYSTEMS COMMAND
ANDREWS AFB, DC 20334
OLCY ATTN DLWM
OLCY ATTN DLW

ATR FORCE WEAPOMS LABORATORY, AFSC KIRTLAND AFS, NM 87117 OICY ATTN NTES-C R HENNY ATTN NTED-I OICY ATTN NTED R MATALUCCI OICY ATTN MTF M PLAMENDON 01CY OLCY ATTN NT D PAYTON 01CY ATTN NTED-A ATTN NYES-G 01CY OICY ATTN SUL ATTN DEX OICY DICY ATTN NTES-S

DIPECTOR
AIR UNIVERSITY LIBRARY
DEPARTMENT OF THE AIR FORCE
MAXWELL AFB, AL 36112
(DESIRES NO CHADI)
OLCY ATTN AUL-LSE

OICY ATTN NTEC

ASSISTANT CHIEF OF STAFF INTELLIGENCE DEPARTMENT OF THE AIR FORCE WASHINGTON, DC 2033C OICY ATTN IN RM 4A932

ASSISTANT CHIEF OF STAFF
STUDIES & ANALYSES
DEPARTMENT OF THE AIR FORCE
WASHINGTON, DC 20330
OLCY ATTN AF/SAMI (TECH LIB)

ASSISTANT SECRETARY OF THE AF
RESEARCH, DEVELOPMENT & LOGISTICS
DEPARTMENT OF THE AIR FORCE
WASHINGTON, DC 20330
DICY ATTN SAFALR/CEP FOR STRAT & SPACE SYS

BALLISTIC MISSILE OFFICE/MN AIR FORCE SYSTEMS COMMAND NORTON AFB, CA 92409 (MINUTEMAN)

OICY ATTH MENNYH G KALANSKY
OICY ATTH MNNXH M CELVECCHIO
OICY ATTH MNN W CRABTREE
OICY ATTH MNNXH D GAGE
OICY ATTH MNNX

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACC
DEPARTMENT OF THE AIR FORCE
WASHINGTOM, DC 20330
OICY ATTN AFRODI N ALFXANDROW
OICY ATTN AFROPN
OICY ATTN AFRODI

DEPUTY CHIEF OF STAFF LOGISTICS & ENGINEERING DEPARTMENT OF THE AIR FORCE WASHINGTON, DC 2033C OICY ATTN LEEF

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTEPSON AFE, OF 45433
OLCY ATTN NIIS LIERARY

COMMANDER
POME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
(CESIRES NC CNWDI)
OICY ATTN TSLO

STRATEGIC AIR COMMAND
DEPARTMENT OF THE AIR FORCE
OFFUTT AFB, NB 6R113
OICY ATTN NRI-STINFO LIBRARY
OICY ATTN XPFS
OICY ATTN INT J MCKINNEY

VELA SEISMOLOGICAL CENTER 312 MONTGOMERY STREET ALEXANDIRA, VA 22314 01CY ATTN G ULLPICH

DEPARTMENT OF ENERGY
ALBUQUEFOUE OPERATIONS CEFICE
P O BOX 5400
ALBUQUEFOUE, NM 87115
OICY ATTN CTID

DEPARTMENT OF ENERGY SE WASHINGTON, DC 20545 OLCY ATTN CMA/RD&T

DEPARTMENT OF ENERGY
NEVADA OPERATIONS OFFICE
P O BOX 14100
LAS VEGAS: NV 99114
OICY ATTN MAIL & RECORDS FOR TECHNICAL LIBRARY

LAWPENCE LIVERMORE NATIONAL LAB P 0 80X 808 LIVERMORE, CA 94550 DICY ATTN L-90 R DCNG ATTN 1-205 J PEARST (CLASS L-203) 01CY ATTN L-90 D NOPRIS (CLASS L-504) OICY ATTN L-7 J KAHN OICY DICY ATTN D GLENN DICY ATTN L 437 R SCHECK ATTN TECHNICAL INFO DEPT. LIBRARY DICY OICY ATTN L-200 T BUTKOVICH

ATTN MS 364 (CLASS REPORTS LIB)

LOVELACE BIOMEDICAL &
ENVIRONMENTAL PSCH INSTITUTE, INC.
P O BOX 5890
ALBUQUERQUE, NM 87115
OLCY ATTN 9 JONES (UNCL ENLY)

ATTN E JONES

OICY

01CY

DAK PIDGE NATIONAL LABORATORY
NUCLEAR DIVISION
X-10 LAB RECORDS DIVISION
P O BOX X
CAK PIDGE, TN 37830
OICY ATTN CIVIL DEF RES PROJ
OICY ATTN CENTRAL RSCH LIBRARY

SANDIA LABORATORIES LIMERMORE LABORATORY P.O. BOX 969 LIMERMORE, CA. 94550 OICY ATTN LIBEARY & SECURITY CLASSIFICATION DIV. SAMDIA NATIONAL LAB P 0 80X 5800 ALBUQUERQUE, NM 87195 (ALL CLASS ATTN SEC CONTROL OFC FOR) ATTN A CHABAN OICY ATTN L HILL 01CY ATTN ORG 1250 W BROWN OICY ATTN A CHABIA 01CY OLCY ATTN W PCHERTY OLCY ATTY 3141 OLCY ATTN L VORTMAN ATTN J BENISTER 01CY

CENTRAL INTELLIGENCE AGENCY WASHINGTON, DC 20505 OLCY ATTN DSWP/NED

DEPARTMENT OF THE INTERIOR
BUREAU OF MIMES
BLOG 20. DENVER FFDEPAL CENTER
DENVER. CO 80225
((UNCL CNLY))
01CY ATTN TECH LIP (UNCL CNLY)

DIRECTOR
FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL SEC OFC MITIGATION & RSCH
1725 I STREET, NW
WASHINGTON, DC 20472
((ALL CLASS ATTN BLOS DOC CENTROL FER))
OLCY ATTN MITIGATION & RSCH DIV

ACHPEX COPP.
485 CLYDE AVENUE
MOUNTAIN VIEW, CA 94042
01CY ATTN C WOLF

AEROSPACE COPP.
P O BOX 92957
LOS ANGELES, CA 90009 ...
O1CY ATTN H MIRELS
O1CY ATTN TECHNICAL INFORMATION SERVICES

AGBABIAN ASSOCIATES 250 N NASH STREET EL SEGUNDO, CA 90245 OICY ATTN M AGBABIAN

ANALYTIC SERVICES, INC.
400 ARMY-NAVY DRIVE
APLINGTON, VA 22202
OICY ATTN G HESSELBACHER

APPLIED PESEARCH ASSOCIATES, INC 2601 WYCMING BLVD NE SUITE F-1 ALBUQUERQUE, NY F7112 O1CY ATTN J PRATTON O1CY ATTN Y FIGGINS

APPLIED THEORY, INC.
1010 WESTWOOD PLVD
LOS ANGELES, CA 90024
(2 CYS IF UNCLASS OP 1 CY IF GLASS)
01CY ATTN J TRULIC

APTEC ASSOCIATES, INC. 26046 EDEN LANDING POAD* HAYWARD, CA 94545 OICY ATTN S GILL

ASTRON FESARCH & ENGINEERING 1901 OLD MIDDLEFIELD WAY #15 MOUNTAIN VIEW, CA 94043 Oldy ATTH J HUNTINGTON

AVCO RESEARCH & SYSTEMS GROUP 201 LOWELL STREET WILMINGTON, MA 01837 01CY ATTM LIBRARY A830

BDM COPP.
7915 JONES BRANCH DRIVE
MCLEAN, VA 72102
OICY ATTN A LAVAGNING
OICY ATTN T MEIGHECES
OICY ATTN CORPORATE LIBRARY

BDM CORP.
P O BCX 9274
ALBUQUERQUE, NM 87119
O1CY ATTN R HENSLEY

BOEING CO.
P O BOX 3707
SEATTLE, WA 98124
OICY ATTN S STPACK
OICY ATTN AFROSPACE LIBRARY
OICY ATTN M/S 42/37 R CAPLSON

CALIFORNIA RESEAPCH & TECHNOLOGY, INC. 6269 VARIEL AVENUE WOODLAND HILLS, CA 91367 OLCY ATTN LIBRARY OLCY ATTN K KREYENHAGEN OLCY ATTN M ROSENBLATT

CALIFORNIA RESEAPCH & TECHNOLOGY, INC. 4049 FIRST STREET LIVERMORE, CA 94550 OLCY ATTN D DRPHAL

CALSPAN CORP.
P O BOX 400
BUFFALO, NY 14225
OICY ATTN LIBRARY

DEMVER, UNIVERSITY OF
COLOPADO SEMINARY
DENVER RESEARCH INSTITUTE
P O ROX 10127
DENVER, CO 80210
(ONLY 1 COPY OF CLASS RPTS)
O1CY ATTN SEC OFFICER FOR J WISOTSKI

EGEG WASH. ANALYTICAL SVCS CTP, INC. P O POX 10218
ALBUQUERQUE, NM 87114
O1CY ATTN LIBRARY

FRIC H. WANG
CIVIL ENGINEEPING PSCH FAC
UNIVERSITY OF NEW MEXICO
UNIVERSITY STATION
P O BOX 25
ALBUQUERQUE, NM 87131
OICY ATTN J LAMB
OICY ATTN P LCDDE
OICY ATTN N BAUM
OICY ATTN J KOVARNA

GARD, INC.
7449 N NATCHEZ AVENUE
NILES, IL 60648
OLCY ATTN G MEIDHARDT (UNCL ONLY)

GENERAL ELECTRIC CO.
SPACE DIVISION
VALLEY FORGE SPACE CENTER
P O BOX 8555
PHILADELPHIA, PA 19101
O1CY ATTN M BOPTNER

GENERAL RESEARCH CORP.
SANTA BARBARA DIVISION
P O BOX 6770
SANTA BARBARA, CA 92111
O1CY ATTN TIO

H-TECH LABS, INC.
P D BPX 1686
SANTA MENICA, CA 90406
OICY ATTN B HARTENBAUM

HORIZONS TECHNOLOGY, INC. 7830 CLAIPEMONT MESA BLVD SAN DIEGO, CA 92111 DICY ATTN R KRUGER

IIT RESEARCH INSTITUTE

10 W 35TH STREET

CHICAGO, TE 60616

OICY ATTN R WELCH

OICY ATTN M JOHNSON

OICY ATTN DOCUMENTS LIBRARY

INFORMATION SCIENCE, INC.
123 W PADRE STREET
SANTA BARBARA, CA 93105
01CY ATTN W DUDZIAK

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
01CY ATTN CLASSIFIED*LIBRARY

J D HALTIWANGER CONSULT ENG SVCS RM 1064 CIVIL ENGINEEPING BLDG 208 N ROMINE STPEET URBANA, IL 61801 O1CY ATTN W HALL

J. H. WIGGINS CO., INC. 1650 S PACIFIC COAST FIGHWAY PEDONDO BEACH, CA 90277 OICY ATTN J COLLINS

KAMAN AVIDYNE

B3 SECOND AVENUE

NORTHWEST INDUSTRIAL PARK

BURLINGTON, MA 01803

O1CY ATTN P RUETENIK

O1CY ATTN LIBRARY

O1CY ATTN N HOBBS

O1CY ATTN E CRISCIONE

KAMAN SCIENCES COPP.

P.O. BOX 7463
COLORADO SPRINGS, CC 80933
OLCY ATTN D SACHS
OLCY ATTN F SHELTON
OLCY ATTN LIBRARY

KAMAN TEMPO 816 STATE STREET (P.O. DRAWER CQ) SANTA BARBARA, CA. 92102 01CY ATTN DASIAC

LOCKHEED MISSILES & SPACE CC., INC.
P O ROX 504
SUNNYVALE, CA 94086
O1CY ATTN J WEISNER
O1CY ATTN TIC-LIERARY

MARTIN MARIETTA CORP. P O BOX 5837 OPLANDO, FL 32855 OLCY ATTN G FOTIFO

MARTIN MAPIETTA CORP. P.O. BOX 179 DENVER, CO. BOZOL OLCY ATTN G FREMER

MCDONNELL DOUGLAS CORP.
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
OICY ATTN H HERDMAN
OICY ATTN R HALPRIN
OICY ATTN D DEAN

MCDONNELL DOUGLAS CORP.
3855 LAKEWOOD BOULEVARD
LONG BEACH, CA 90 646
OICY ATTN M POTTER

MERRITT CASES, INC.
P D BOX 1206
REDLANDS, CA 92373
OICY ATTN J MERRITT
OICY ATTN LIFRARY

METECROLOGY RESEARCH, INC. 464 W WOODBUPY ROAD ALTADENA, CA 91001 DICY ATTN W GREEN

MISSION RESEARCH CORP.
P O DPAWER 719
SANTA BARBARA, CA 93107
(ALL CLASS: ATTN: SEC OFC FOR)
DICY ATTN C LONGMIPE
OICY ATTN G MCCARTCR

PACIFIC-SIERRA PESEAPCH COPP. 1456 CLOVERFIELD BLVD SANTA MCNICA, CA 904C4 OICY ATTN H BPODE

PACIFIC+SIERPA PESEARCH COPP.
WASHINGTON OPERATIONS
1401 WILSON BLVD
SUITE 1100
ARLINGTON, VA 22209
OICY ATTN D GORMLEY

PACIFICA TECHNOLOGY
P O BOX 149
DEL MAR, CA 92014
OICY ATTN R BJORK
OICY ATTN G KENT
OICY ATTN TECH LIBRAPY

PATEL ENTERPRISES, INC. P O BOX 3531 HUNTSVILLE, AL 35810 OICY ATTN M PATEL

PHYSICS INTERNATIONAL CO. 2700 MERCED STREET SAN LEANDRO, CA 94577 OICY ATTN L BEHRMANN OICY ATTN TECHNICAL LIBPARY OICY ATTN E MCORE OICY ATTN J THOUSEN OICY ATTN F SAUER

R S D ASSOCIATES
P O POX 9695
MAPINA DEL REY, CA 90291
OICY ATTN R POPT
OICY ATTN A KUHL
OICY ATTN J LEWIS
OICY ATTN W WRIGHT
OICY ATTN J CAPPENTER
OICY ATTN TECHNICAL INFORMATION CENTER

PAND COPP.

1700 MAIN STREET

SANTA MONICA, CA 90406

OICY ATTN C MEW

SCIENCE APPLICATIONS, INC RADIATION INSTRUMENTATION DIV 4615 HAWKINS, NE ALBUQUERQUE, NM 97109 OICY ATTN J DISHON SCIENCE APPLICATIONS, INC.
P.O. BOX 2351
LA JOLLA, CA 92038
OICY ATTN H HILSEN
OICY ATTN TECHNICAL LIBRARY
OICY ATTN R SCHLAUG

SCIENCE APPLICATIONS, INC. 101 CONTINENTAL BLVD FL SEGUNDO, CA 90245 01CY ATTN D HOVE

SCIENCE APPLICATIONS, INC. 2450 WASHINGTON AVENUE SAN LEANDRO, CA 94577 OICY ATTN D BERNSTEIN OICY ATTN D MAXWELL

SCIENCE APPLICATIONS, INC.
P D BOX 1303
MCLEAN, VA 22102
O1CY ATTN J COCKAYNE
O1CY ATTN B CHAMBEPS III
O1CY ATTN M KNASEL
O1CY ATTN W LAYSON
O1CY ATTN R SIEVERS

SOUTHWEST RESEAPCH INSTITUTE P O DRAWER 28510 SAN ANTONIO, TX 78284 O1CY ATTN A WENZEL O1CY ATTN W BAKER

SRI INTEPNATIONAL

333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025

OICY ATTN G ABRAHAMSEN
OICY ATTN LISPARY
OICY ATTN J COLTON

SYSTEMS, SCIENCE & SCETWARE INC P O BOX 8243 ALBUQUERONE NM 87198 OICY ATTN C NEEDHAM SYSTEMS, SCIENCE & SCETWARE, INC.
P O BOX 1620
LA JULLA, CA 92038
OICY ATTN J BARTHEL
OICY ATTN T RINEY
OICY ATTN D GRINE
OICY ATTN LIBPARY
OICY ATTN C HASTING
OICY ATTN K PYATT
OICY ATTN C DISMUKES
OICY ATTN T CHERRY

SYSTEMS, SCIENCE & SCETWARE, INC. 11900 SUNRISE VALLEY DRIVE RESTON, V4 22091 01CY ATTN J MURPHY

TELEDYNE BPOWN ENGINFERING CHMMINGS RESEAPCH PARK HUMTSVILLE, AL 35807 DICY ATTN J RAVENSCRAFT DICY ATTN J MCSWAIN

TERPA TEK, INC.
420 WAKARA WAY
SALT LAKE CITY, LT 84108
OICY ATTN A ABOU-SAYED
OICY ATTN LIBRARY
OICY ATTN A JONES
OICY ATTN S GREEN

TETRA TECH, INC.
630 N POSEMEAD BLVD
PASADENA, CA 91107
01CY ATTN L HWANG

TRW DEFENSE & SPACE SYS GROUP

ONE SPACE PARK
REDONDO BEACH, CA 20278
OICY ATTN N LIPNER
OICY ATTN TECHNICAL INFORMATION CENTER
OICY ATTN T MAZZOLA

TRW DEFENSE & SPACE SYS GROUP P O BOX 1310 SAN BERNARDING, CA 92402 OICY ATTN G HULCHEP OICY ATTN P DAI OICY ATTN E WENG UNIVERSAL ANALYTICS, INC. 7740 W MANCHESTER BLVC PLAYA DEL REY, CA 90291 OLCY ATTN E FIELD

WEIDLINGER ASSOC., CONSULTING ENGINEERS
110 E 59TH STREET
NEW YORK, NY 10022
OLCY ATTN I SANDLEP
OLCY ATTN M BARON

WEIDLINGER ASSIC., CONSULTING ENGINEEPS 3000 SAND HILL BOAD MENLO PARK, CA 94025 01CY ATTN J ISENBERG